

Area	Area	Borehole Designation	Depth of borehole	Specifications for deeper boreholes	Soil Sample requirements	Groundwater Sample requirements	Additional notes
MW-210 (Fig. 2)	MW-210	BH01-13	Min. 5 ft below water table		Sudan IV Dye test	VOCs including Naphthalene, filtered metals	
		BH02-13			Sudan IV Dye test	VOCs	
		BH03-13		Deeper of limit of waste /60 ft bgs	Sudan IV Dye test	VOCs	
		BH04-13			Sudan IV Dye test	VOCs including Naphthalene, filtered metals	
		BH05-13		Deeper of limit of waste /60 ft bgs	Sudan IV Dye test	VOCs	
		BH06-13			Sudan IV Dye test	VOCs	
		BH07-13			Sudan IV Dye test	VOCs	5-day Rush TAT
		BH08-13		Deeper of limit of waste /60 ft bgs	Sudan IV Dye test	VOCs	5-day Rush TAT
		BH09-13			Sudan IV Dye test - Negative	VOCs	5-day Rush TAT
		BH10-13			Sudan IV Dye test	VOCs	5-day Rush TAT
		BH11-13			Sudan IV Dye test	VOCs including Naphthalene, filtered metals	5-day Rush TAT
		BH12-13			Sudan IV Dye test	VOCs	5-day Rush TAT
		BH13-13			Sudan IV Dye test	VOCs	5-day Rush TAT
		BH14-13			Sudan IV Dye test	VOCs	5-day Rush TAT
		BH15-13			Sudan IV Dye test	VOCs	5-day Rush TAT
		BH16-13			Sudan IV Dye test	VOCs	5-day Rush TAT
		BH17-13			Sudan IV Dye test	VOCs	5-day Rush TAT
		BH18-13			Sudan IV Dye test	VOCs including Naphthalene, filtered metals	
		BH19-13		Deeper of limit of waste /60 ft bgs	Sudan IV Dye test	VOCs	
		BH20-13			Sudan IV Dye test	VOCs	
BH21-13	Deeper of limit of waste /60 ft bgs	Sudan IV Dye test	VOCs				
BH22-13		Sudan IV Dye test	VOCs including Naphthalene, filtered metals				
BH23-13	Deeper of limit of waste /60 ft bgs	Sudan IV Dye test	VOCs				
BH24-13		Sudan IV Dye test	VOCs				
BH25-13		Sudan IV Dye test	VOCs including Naphthalene, filtered metals				
BH26-13	Deeper of limit of waste /60 ft bgs	Sudan IV Dye test	VOCs				
BH27-13		Sudan IV Dye test	VOCs				
BH28-13		Sudan IV Dye test	VOCs including Naphthalene, filtered metals				
BH29-13		Sudan IV Dye test	VOCs				
TP-3 (Fig. 3)	TP-3	BH90-13	Deeper of limit of waste / 50 ft bgs		VOCs, Sudan IV Dye test	VOCs	
		BH91-13	Deeper of limit of waste / 50 ft bgs		VOCs, Sudan IV Dye test	VOCs	
		BH92-13	Deeper of limit of waste / 50 ft bgs		VOCs, Sudan IV Dye test	VOCs	
		BH93-13	Deeper of limit of waste / 50 ft bgs		VOCs, Sudan IV Dye test	VOCs	
6	GP13-09 / VAS-09	BH75-13	Min. 5 ft below water table	Deeper of limit of waste /60 ft bgs	VOCs, Sudan IV Dye test	VOCs	
		BH76-13			VOCs, Sudan IV Dye test	VOCs including Naphthalene, filtered metals	
		BH77-13			VOCs, Sudan IV Dye test	VOCs	
		BH78-13			VOCs, Sudan IV Dye test	VOCs	
		BH79-13			VOCs, Sudan IV Dye test	VOCs	
		BH80-13			VOCs, Sudan IV Dye test	VOCs	
		BH81-13			VOCs, Sudan IV Dye test	VOCs including Naphthalene, filtered metals	
		BH82-13			VOCs, Sudan IV Dye test	VOCs	
		BH83-13			VOCs, Sudan IV Dye test	VOCs	
		BH84-13		Deeper of limit of waste /60 ft bgs	VOCs, Sudan IV Dye test	VOCs	
		BH85-13		Deeper of limit of waste /60 ft bgs	VOCs, Sudan IV Dye test	VOCs including Naphthalene, filtered metals	
		BH86-13			VOCs, Sudan IV Dye test	VOCs	
		BH87-13			VOCs, Sudan IV Dye test	VOCs	
		BH88-13			VOCs, Sudan IV Dye test	VOCs	
		BH89-13		Deeper of limit of waste /60 ft bgs	VOCs, Sudan IV Dye test	VOCs including Naphthalene, filtered metals	

5	GP15-09 / VAS-08 / TT-9	BH57-13	Mid. 5 ft bgs	BH57-13	Deeper of limit of waste /60 ft bgs	VOCs, PCBs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH58-13	table	BH58-13		VOCs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH59-13		BH59-13		VOCs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH60-13		BH60-13		VOCs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH61-13		BH61-13		VOCs, PCBs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH62-13		BH62-13		Deeper of limit of waste /60 ft bgs	VOCs, filtered PCBs		Reported dumping of transformer contents behind Bullseye Amusements building
		BH63-13		BH63-13		VOCs, PCBs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH64-13		BH64-13		VOCs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH65-13		BH65-13		VOCs, PCBs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH66-13		BH66-13		VOCs, PCBs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH67-13		BH67-13		VOCs, PCBs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH68-13		BH68-13		VOCs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH69-13		BH69-13		VOCs, PCBs, Sudan IV Dye test	VOCs, filtered PCBs		
		BH70-13		BH70-13		Deeper of limit of waste /60 ft bgs	VOCs, filtered PCBs		
		BH71-13		BH71-13		Deeper of limit of waste /60 ft bgs	VOCs, filtered PCBs		
BH72-13		BH72-13	VOCs, Sudan IV Dye test	VOCs, filtered PCBs					
BH73-13		BH73-13	VOCs, PCBs, Sudan IV Dye test	VOCs, filtered PCBs					
BH74-13		BH74-13	VOCs, Sudan IV Dye test	VOCs, filtered PCBs					
4	GP20-09 / TT-23	BH51-13	Mid. 5 ft bgs	BH51-13	Deeper of limit of waste /60 ft bgs	VOCs, Sudan IV Dye test	VOCs		
		BH52-13	table	BH52-13		VOCs, Sudan IV Dye test	VOCs		
		BH53-13		BH53-13		VOCs, Sudan IV Dye test	VOCs		
		BH54-13		BH54-13		VOCs, Sudan IV Dye test	VOCs		
		BH55-13		BH55-13		VOCs, Sudan IV Dye test	VOCs		
		BH56-13		BH56-13		VOCs, Sudan IV Dye test	VOCs		
3	GP19-09 / VAS-04	BH46-13	Mid. 5 ft bgs	BH46-13	Deeper of limit of waste /60 ft bgs	Sudan IV Dye test	VOCs, TPH, Naphthalene, filtered metals	Soil samples collected from boreholes down to and including the deepest, unsaturated interval	
		BH47-13	table	BH47-13		Sudan IV Dye test	-		
		BH48-13		BH48-13		Sudan IV Dye test	-		
		BH49-13		BH49-13		Sudan IV Dye test	VOCs, TPH, Naphthalene, filtered metals		
		BH50-13		BH50-13		Sudan IV Dye test	-		
2	GP18-09 / TT-22	BH34-13	Mid. 5 ft bgs	BH34-13	Deeper of limit of waste /60 ft bgs	VOCs, Sudan IV Dye test	VOCs		
		BH37-13	table	BH37-13		VOCs, Sudan IV Dye test	VOCs		
		BH38-13		BH38-13		Deeper of limit of waste /60 ft bgs	VOCs		
		BH41-13		BH41-13		Deeper of limit of waste /60 ft bgs	VOCs		
		BH42-13		BH42-13		Deeper of limit of waste /60 ft bgs	VOCs		
1	TT-21 / MW-229	BH30-13	Mid. 5 ft bgs	BH30-13	Deeper of limit of waste /60 ft bgs	VOCs, Sudan IV Dye test	VOCs, Naphthalene, filtered metals, filtered PCBs		
		BH31-13	table	BH31-13		VOCs, Sudan IV Dye test	VOCs		
		BH32-13		BH32-13		VOCs, Sudan IV Dye test	VOCs		
		BH33-13		BH33-13		VOCs, Sudan IV Dye test	VOCs		
		BH35-13		BH35-13		VOCs, Sudan IV Dye test	VOCs		
		BH36-13		BH36-13		Deeper of limit of waste /60 ft bgs	VOCs, Naphthalene, filtered metals, filtered PCBs		
		BH39-13		BH39-13		VOCs, Sudan IV Dye test	VOCs		
		BH40-13		BH40-13		VOCs, Sudan IV Dye test	VOCs, Naphthalene, filtered metals, filtered PCBs		
		BH43-13		BH43-13		VOCs, Sudan IV Dye test	VOCs		
		BH44-13		BH44-13		Deeper of limit of waste /60 ft bgs	VOCs, PCBs, Sudan IV Dye test		
		BH45-13		BH45-13		VOCs, PCBs, Sudan IV Dye test	VOCs		
NA	2447 East NA River Road	NA	2447 East NA	NA	NA	NA	VOCs including Naphthalene, filtered metals, filtered PCBs	Soil samples collected from water supply well, upstream of any water treatment devices	

Monitored no deeper than 10 ft below low water table to prevent potential draw-down of LNAPL

Reported dumping of transformer contents behind Bullseye Amusements building

Soil samples collected from boreholes down to and including the deepest, unsaturated interval

Soil samples collected from boreholes down to and including the deepest, unsaturated interval

Step out 40 ft from any location where LNAPL is identified and advance additional boreholes

NA	NA	TT24	To check for water table	TT24	-NA unless field screening indicates possibility of soil contamination	NA	To investigate geophysical anomalies
		TT25	where possible.	TT25			
		TT26		TT26			Adjust location of trench if obstruction is encountered during excavation
		TT27	Each test trench will be	TT27	-Determine vertical limit of fill		
		TT28	approx. 30 ft long by 3 ft	TT28			
		TT29	wide	TT29			
		TT30		TT30	-Note if fill material appears to consist of re-located spoil from gravel extraction operations vs. undisturbed native soil		